
Industrial Tablet Solutions

Technologies Shaping the Future of Business







Logistics & Warehousing P.11



Manufacturing

P.13



AIM-78S



Public Safety P.15



P.22

PWS-872



Field Services P.17





AIM-75S



Public Spaces P.3

Public Spaces

eMenus and Self-Service

eMenu boards and self-service terminals deliver orders directly to the back-end system. This minimizes staffing requirements and improves service speed and customer satisfaction.



AIM-78S / AIM-68 with



AIM-37 with wall mount

Information System

Information systems display floor plans that help visitors navigate to the places they want to go.



AIM-78S / AIM-68 with wall mount

Product Offerings



AIM-37

10" multi-functional industrial-grade tablet



AIM-6

8" industrial-grade tablet with Windows OS



AIM-68

10" industrial-grade tablet with Windows OS



AIM-75S

8" industrial-grade tablet with Android 10 and GMS



AIM-78S

10" industrial-grade tablet with Android 10

Ticket Checking System

Ticket validation systems enable rapid ticket checking, reducing customer wait times during peak hours.



AIM-75S / AIM-65 with hand strap and barcode scanner

Customer Survey System

Customer survey systems provide a simple means for collecting customer feedback in order to improve services and increase customer engagement and purchase intentions.



AIM-75S / AIM-65 with basic cradle

Customer Survey System

Video Guide System

AIM tablets are ideal for providing self-guided video tours

at places of cultural interest. Visitors use the handheld device to follow a live map. Built-in communication technology allows the tablet to "recognize" upcoming attractions and automatically play the relevant video guide.



AIM-75S / AIM-65 with shoulder strap

Ticketing System

Ticketing systems allow tickets to be purchased and printed in advance, reducing queues and customer wait times. The data collected by the systems also provide business insights and enable better management of ticket availability.



AIM-37 with printer cradle



AIM-75S / AIM-65 with basic cradle and printer

Program Reservation System

Online reservation system allows visitor to reserve tickets and book services at their own convenience to avoid a large crowds during peak times. Additionally, because these systems minimize the number of staff required, they also reduce overall personnel costs.



AIM-75S / AIM-65 with office docking station



AIM-37 with basic cradle

Restaurant

eMenus and Self-Service

eMenu boards and self-service terminals deliver orders directly to the kitchen system. This minimizes staffing requirements and improves service speed and customer satisfaction.



AIM-75S / AIM-65 with wall mount



AIM-37 with wall mount

Mobile POS System

AIM tablets can be used as handheld point-of-sale (POS) devices. Intelligent POS solutions offer increased accuracy by eliminating manual data entry and improve productivity by optimizing checkout/payment processes.



AIM-37 with printer cradle



AIM-75S / AIM-65 with basic cradle and printer

Table Management System

Integrated with table and queue data, the table management system allows staff to call queue numbers via display signage and seat guests immediately. The system also provides a solution for monitoring table data, dining duration, availability, and waitlists.



AIM-75S / AIM-65 with basic cradle

Store Operations Management

All store information, including sales, inventory, and expense data, can be collected for analysis to optimize operations, improve customer satisfaction, and increase revenue.



AIM-75S / AIM-65 with hand strap



AIM-75S / AIM-65 with shoulder strap

Tableside Ordering

Enables staff to take orders more accurately and efficiently, while encouraging the upselling of high-margin menu

items and special deals using pop-up modifiers for suggestive selling.



AIM-75S / AIM-65 with hand strap

Queuing Management System

Customers can join a queue and check status via an app. Restaurants can use the system to send customers SMS notifications regarding their queue number which reduces queueing in front of the store.



AIM-37 with printer cradle

Product Offerings



AIM-37 10" multi-functional industrial-grade tablet



AIM-65 8" industrial-grade tablet with Windows OS



AIM-68 10" industrial-grade tablet with Windows OS



AIM-75S 8" industrial-grade tablet with Android 10 and GMS



AIM-78S 10" industrial-grade tablet with Android 10




Healthcare

Identity and Medication Verification

Verification solutions allow staff to confirm patient identity and medication prescription using a barcode scanner or IC card reader.







AIM-75H / AIM-55

Ambulance and Mobile Systems

Emergency care solutions for ambulance fleets facilitate mobile care and integrated treatment during transport.









AIM-78H

PACS and Video Capturing

PACS and video capture systems enable medical professionals to collect, monitor, and analyze patient data and facilitate information sharing for telehealth applications.



AIM-78H / AIM-58 with VESA dock



MIT-W102 with docking station

EHR and HIS Access

By enabling nurses to access medical records, hospital systems, and contact colleagues from patient bedsides, EHR and HIS access systems streamline complex workflows and increase productivity.



AIM-75H / AIM-55



AIM-58 with VESA Dock

Patient Data Collection and Retrieval

Patients' vital sign data are collected and stored in HIS to facilitate treatment prioritization, optimize clinical operations, and ensure timely high-quality patient care.



AIM-75H / AIM-55 with barcode scanner



MIT-W102 with VESA Dock

Product Offerings



AIM-55

8" medical-grade tablet with Windows OS



AIM-58

10" medical-grade tablet with Windows OS



AIM-75H

8" industrial-grade tablet with Android 10 and GMS



AIM-78H

10" medical-grade tablet with Android 10



MIT-W102

10" medical-grade tablet with Windows OS



,

Transportation

Railway/Airport Maintenance Inspections

Lightweight, portable tablets travel easily, allowing engineering technicians to conduct maintenance and inspections.





AIM-75S / AIM-65 with barcode scanner and shoulder strap

Digital Package Signing

Electronic signatures and digital receipts accelerate package collection processes and help eliminate paper-based operation for improved records management and customer service.



AIM-75S / AIM-65 with shoulder strap



AIM-75S / AIM-65 with hand strap



Л-65 rap



AIM-65 with

stylus

Route Optimization and Navigation

Tablets mounted on in-vehicle docking stations can be used for route planning and navigation to optimize delivery routes for increased productivity and efficiency.



AIM-78S / AIM-68 with vehicle dock



AIM-75S / AIM-65 with vehicle dock

Goods Delivery and Collection

RFID readers and barcode scanners can be used to check goods sent out for delivery or collection to ensure the right package gets to the right person at the right time.



AIM-75S / AIM-65 with hand strap



AIM-78S / AIM-68 with UHF RFID reader

Cargo Inspection and Shipping

Using barcode scanners for cargo inspection and shipping verification enhances data accuracy and allows real-time data updates to be sent to the terminal operating system for service quality control.



AIM-75S / AIM-65 with barcode scanner



PWS-872 with vehicle dock

Product Offerings



AIM-65

8" industrial-grade tablet with Windows OS



AIM-68

10" industrial-grade tablet with Windows OS



AIM-75

8" industrial-grade tablet with Android 10 and GMS



AIM-78S

10" industrial-grade tablet with Android 10



PWS-872

10" rugged tablet with Windows OS

Driver Behavior Monitoring

These systems collect and monitor driver behavior data and send alert notifications to managers when inappropriate behavior, such as sudden braking or accelerating, is detected in order to minimize accidents and reduce fuel waste.



PWS-872 with vehicle dock



AIM-78S / AIM-68 with vehicle dock

Logistics & Warehousing

Picking & Packing

Using RFID readers and barcode scanners to scan goods and collect data optimizes picking and packing by accelerating locating and restocking, eliminating errors, and providing an audit trail for traceability.







AIM-75S / AIM-65 with

multi-tablet

charging station

Real-time inventory reports allow managers to analyze inventory turnover and proactively re-order and maintain inventory stocks.



Stock-Flow Reconciliation

AIM-78S / AIM-68



AIM-78S / AIM-68

Product Offerings



8" industrial-grade tablet with Windows OS



AIM-68

10" industrial-grade tablet with Windows OS



8" industrial-grade tablet with Android 10 and GMS



AIM-78S

10" industrial-grade tablet with Android 10



PWS-872

10" rugged tablet with Windows OS

12

Route Optimization and Navigation

Rugged tablets mounted on in-vehicle docking stations can be used for route planning and navigation to optimize delivery routes for increased productivity and efficiency.



AIM-75S / AIM-65 with



AIM-78S / AIM-68 with vehicle dock

Goods Receipt and Restocking

The use of tablets with a hand/shoulder strap and paired with a vehicle dock mounted in forklifts mobilize operations and facilitate the efficient receipt and restocking of goods.



barcode scanner



PWS-872 with vehicle dock



Inventory Management

Barcode scanners and inventory systems with Wi-Fi connectivity enhance inventory management and allow managers to ensure goods are restocked in the correct aisle.

AIM-75S / AIM-65 with



AIM-78S / AIM-68 with **UHF RFID reader**





Manufacturing

Streamline Manufacturing Processes

Tablets equipped with a tabletop dock can be used to streamline production processes, identify operational problems, and conduct on-site troubleshooting.



AIM-78S / AIM-68 with tabletop dock



AIM-75S / AIM-65 with VESA dock

Product Offerings

8" industrial-grade tablet with Windows OS



AIM-68 10" industrial-grade tablet with Windows OS



8" industrial-grade tablet with Android 10 and GMS



AIM-78S 10" industrial-grade tablet with Android 10



PWS-872 10" rugged tablet with Windows OS

Labor Management

Manage manufacturing processes, staff scheduling, and maintenance planning with paperless operations.









AIM-78S / AIM-68 with hand strap

Quality Control & Tracking Overall Equipment Effectiveness

Increase manufacturing accuracy with barcode Optimize manufacturing operations using tablets equipped scanner, RFID reader to improve traceability. with hot-swappable batteries, fast-charging solutions, and application-oriented docking stations and modules.



UHF RFID reader

AIM-78S / AIM-68 with AIM-78S / AIM-68 with camera



AIM-78S / AIM-68 with multi-battery charging station



PWS-872 with vehicle dock

Material Control System

Raw materials and spare parts can be tracked using barcodes. Material control systems can be used to issue commands to storage and transport equipment to track materials throughout the production process.



AIM-75S / AIM-65 with barcode scanner



AIM-75S / AIM-65 with shoulder strap



Public Safety

Product Offerings

Field Command Center

Offers real-time access to building codes for personnel tracking, access control, and device deployment and allows emergencies to be classified according to predefined levels.



AIM-78S / AIM-68 with multi-battery charging station



AIM-78S / AIM-68 with hand strap



AIM-75S / AIM-65 with shoulder



8" industrial-grade tablet with Windows OS




AIM-68

10" industrial-grade tablet with Windows OS



8" industrial-grade tablet with Android 10 and GMS



AIM-78S

10" industrial-grade tablet with Android 10

PWS-872

10" rugged tablet with Windows OS

Preemptive Maintenance

Data and images of problems encountered can be uploaded to accelerate fault diagnosis and minimize system downtime. Event logs and repair records provide proof of servicing and can be used to conduct preemptive maintenance.



AIM-75S / AIM-65 with shoulder strap and stylus



with camera



AIM-78S / AIM-68 : AIM-75S / AIM-65 with barcode

Law Enforcement

Built-in 4G LTE and Wi-Fi technologies facilitate the collection, access, and sharing of police intelligence updates in real time.



AIM-75S / AIM-65 with holster



AIM-78S / AIM-68 with camera

Improved Situational Awareness

Delivers accurate GPS guidance, area schematics, hydrant locations, and overall mapping to improve situational awareness and enable a rapid response.



PWS-872 with vehicle dock



AIM-78S / AIM-68 with vehicle dock

Field Operations

Rugged solutions built to withstand vibration and extreme weather conditions, including rain, snow, sunshine, and dust, enable you to stay online in any environment.



PWS-872 with shoulder strap



AIM-75S / AIM-65 with hand strap




Field Services

Workforce Management

AIM tablets with 4G communication technology can be used for daily job tracking and workforce training to enhance overall performance.







AIM-78S / AIM-68 with hand strap

Product Offerings



AIM-65
8" industrial-grade tablet with Windows OS



AIM-6810" industrial-grade tablet with Windows OS



AIM-75S 8" industrial-grade tablet with Android 10 and GMS



AIM-78S
10" industrial-grade tablet with
Android 10



PWS-87210" rugged tablet with Windows OS

18

Safety Audits and Compliance Reports

AIM tablets can be used to conduct safety and compliance inspections, record inspection results, and compile relevant reports for management.



AIM-78S / AIM-68



AIM-75S / AIM-65

On-Site Troubleshooting

For field service applications, users can upload data and images of problems encountered to accelerate fault diagnosis and minimize system downtime. Additionally, event logs and repair records provide proof of servicing and can be used to conduct preemptive maintenance.



AIM-75S / AIM-65 with shoulder strap



AIM-78S / AIM-68 with

Field Operations Asset Tr

AIM tablets feature a semi-rugged design that offers protection from water ingress, drop impacts, humidity, vibration, and high temperatures to ensure reliable operation.



PWS-872 with shoulder strap



AIM-78S / AIM-68 with hand strap

Asset Tracking

The barcode scanner and RFID reader enables easy asset tracking and management of raw materials and spare parts inventory for improved operations management.



AIM-75S / AIM-65 with barcode scanner



AIM-75S / AIM-65 with shoulder strap

In-Vehicle Control

Provides vehicle operators with a visual guidance system that allows them to input various job parameters, such as the dig depth and slope, in order to perform tasks more accurately and effectively.



PWS-872 with vehicle dock



AIM-78S / AIM-68 with vehicle dock

AIM-75S

8" industrial-grade tablet with Android 10 and GMS



- Built-in Qualcomm[®]
 Snapdragon[™] 660 processor with Android 10 OS (GMS certified)
- IP65-rated protection from water and dust; 4-ft drop tolerance
- Supports various expansion peripherals for diverse applications
- Supports LTE, WLAN, Bluetooth, NFC, and GIS capabilities

AIM-65

8" industrial-grade tablet with Windows OS



- Built-in Intel[®] Atom™ X5-Z8350 processor with dual OS (Windows and Android)
- IP65 rating for resistance to water and dust ingress, and 4ft. drop resistance
- Supports various expansion peripherals for diverse applications
- Supports real-time data transmissions via 4G LTE, Wi-Fi, and Bluetooth





LTE/Wi-Fi connectivity for real-time data communication



Sunlight readable, anti-glare, anti-scratch display



IP65 rating with 4 ft. drop tolerance



Wide operating temperature and longduration battery















Wall mount dock

Shoulder strap

ın H

Hand strap

Rotatable hand strap

Vehicle dock Desktop dock



Application-Oriented Peripherals





RJ45 + COM module

20° barcode scanner

70° barcode scanner




Multi-tablet charging station



Multi-battery charging station

AIM-78S

10" industrial-grade tablet with Android 10



- Built-in Qualcomm[®]
 Snapdragon™ (SDA660/ SDM660) processor with Android 10 OS
- 10" WUXGA full HD display with Corning[®] Gorilla[®] Glass
- Integrated barcode scanner for convenient data collection
- WLAN, Bluetooth, NFC, and 3G/4G LTE technology for seamless communication
- Optional extension include 1D/2D barcode scanner, LAN+COM module, UHF RFID module

AIM-37

10" multi-functional industrial-grade tablet



- Built-in Intel[®] Atom[™] X5-Z8350 processor with dual OS (Windows and Android)
- 10.1" TFT IPS WXGA display with Corning® Gorilla® Glass
- IP54 rating for protection from water and dust ingress
- Embedded MSR, IC card reader, and NFC reader provide multiple input options

AIM-68

10" industrial-grade tablet with Windows OS



- Built-in Intel[®] Atom[™]
 X7-Z8750 processor with
 dual OS (Windows 10 IoT
 and Android 6.0)
- Hot-swappable battery with capacity meter for reliable long-duration operation
- 10" WUXGA full HD display with Corning® Gorilla® Glass
- WLAN, Bluetooth, NFC, and 3G/4G LTE technology for seamless communication
- Optional extensions include a 1D/2D barcode scanner, LAN+COM module, and UHF RFID module

PWS-872

10" rugged tablet with Windows OS



- Built-in 7th gen Intel[®]
 Core[™] i3/i5/i7/Celeron[®]
 processor with integrated
 Intel[®] Turbo Boost
 technology
- 10.1" high-brightness WXGA LED display with Corning[®] Gorilla[®] Glass 3 panel
- Rugged design with IP65 rating and MIL-STD-810G certification
- Optional peripherals include vehicle docking station, desktop docking station, and multiple extension modules

AIM-75H

8" medical-grade tablet with Android 10 and GMS



- 8" Full HD projected capacitive touchscreen with scratch-resistant Corning® Gorilla® Glass
- Built-in Qualcomm® Snapdragon™ 660 processor with Android 10 OS (GMS certified)
- Complies with IEC 60601-1 and EN 1789 medical standards

AIM-55

8" medical-grade tablet with Windows OS




- 8" Full HD projected capacitive touchscreen with scratchresistant Corning® Gorilla® Glass
- Built-in Intel[®] Atom[™] processor with dual OS (Windows 10 and Android 6.0)
- Complies with IEC 60601-1 and EN 1789 medical standards
- IP65-rated protection from water and dust ingress




Medical-Grade Quality and Reliability



· Mobile devices reduce time spent on administration tasks by up to 40%











Hand strap

VESA dock

Drop Tolerance

Dust Resistance



IP65-Rated **Protection**

Antibacterial Enclosure







Application-Oriented Peripherals



20°/70° barcode scanner



LAN + COM module



VESA dock/Stand



Desktop dock




Multi-Battery charging station



Multi-Tablet charging station

AIM-78H

10" medical-grade tablet with Android 10



- 10" Full HD projected capacitive touchscreen with scratch-resistant Corning® Gorilla® Glass
- Built-in Qualcomm[®]
 Snapdragon[™] (SDA660/ SDM660) processor with Android 10
- Complies with IEC 60601-1 and EN 1789 medical standards


AIM-58 10" medical-grade tablet with Windows OS




- 10" Full HD projected capacitive touchscreen with scratch-resistant Corning® Gorilla® Glass
- Built-in Intel[®] Atom[™] processor with dual OS (Windows 10 and Android 6.0)
- WLAN, Bluetooth, NFC, and 4G LTE technologies for enhanced communication
- Hot-swappable battery for longduration operation


MIT-W102

10" medical-grade tablet with Windows OS



- Intel[®] Pentium[®] N4200 quad-core processor
- Supports Windows 10 IoT and Linux Ubuntu OS
- Optional accessories include desktop dock, VESA dock, rubber bumper/hand strap, and 3-in-1 multi-functional stand
- Customizable expansion





DeviceOn/iService

Intelligent Remote Device Management Improves Operational Efficiency



Total Management

Remote Access

Operational Efficiency



Devices & Hardware

- Windows, Linux, AndroidHardware, storage,
- Hardware, storage, battery



Real-Time Monitoring

- Connection, hardware status
- Software, peripheral status
- Failure notifications



OTA Updates

- System, software updates
- File repository management
- App store



Software & Peripherals

- Software monitoring & access
- Screens, USB devices, printers



Remote Controls

- Power controls
- Audio, backlight controls
- Software controls



Batch Controls

- One-to-many batch reboot, uploads, etc.
- Time-saving tasks



Open for Expansion

- Peripheral integration
- Open APIs for integration



Troubleshooting

- Screenshots
- · Remote desktop support



Setup Booster

- Software, peripherals watchlist
- Roles, rule templates

Note: Some functions may vary according to the product



Manage AIM Tablets Remotely with DeviceOn/iService






System Architecture



Intel Core i5 9 125GB storage





Enterprise

Enterprise tablets are designed with reliability, security, manageability, and cost considerations in mind. The Advantech Mobile DMS team offer comprehensive hardware and software solutions for retail, hospitality, gaming, and general commercial applications.

Medical

Advantech designs trusted medicalgrade tablets for healthcare to facilitate patient monitoring, medical imaging, and telehealth applications. Each tablet is equipped with advanced mobile technology that enhances the delivery and quality of patient care.

Utility

Rugged tablets that enable mobile computing are essential for the utility industry. The Advantech Mobile DMS team provides custom devices with innovative rugged technology to enable frontline workers to deliver professional public utilities, maintenance, and repair services.



Commercial Off-the-Shelf (COTS) Products

Advantech's standard product offerings



Customized COTS Products

Standard products with minor changes



Jointly Developed Products

Co-designed products based on converging innovations and technology roadmaps



Fully Customized Products

Custom products designed to satisfy specific usage requirements



Rugged Solutions

- Ingress protection from water/ dust
- Functional in high and low temperatures
- Equipped with drop tolerance
- Built to withstand harsh environments



Wireless Connectivity

- Optimized for enhanced wireless communication
- Precise positioning and performance
- Secure mobile communication and fast roaming

Carrier certification service



Ergonomic Industrial Designs

- In-house industrial design team
- Collaborative industrial design and mechanical engineering
- Human factor testing for field optimization
- Diverse domain expertise is leveraged



Power Management

- Wide range of power management solutions
- Optimized battery life and performance
- Extensive vehicle power design experience
- Tools for hardware and software monitoring




System Integration

- In-depth research of market needs
- Solutions aimed at system compatibility
- Understanding of domain regulations
- Comprehensive integration experience



Software Services

- OS, BSP, API, and SDK customization
- Dashboard, utility, and test programming upon request
- Software qualification plan
- Advantech WISE-DeviceOn solution-ready



AIM-35 Industrial-Grade Tablet Deployed for Tableside Ordering Applications

A popular Thai restaurant chain in Taiwan

Prompt, efficient, and high-quality customer service is essential to establishing a successful restaurant. Advantech is committed to helping business owners increase operational efficiency while improving staff and customer satisfaction. For this project, a well-known Thai restaurant chain with more than 138 restaurants throughout Taiwan implemented Advantech's AIM-35 tablet to enhance the overall service. Because of the chain's increasing popularity, customers were facing long queues for ordering and payment. In an effort to improve the service quality, the restaurant adopted Advantech's AIM-35 tablet to enable tableside ordering. This solution not only reduced customer wait times by streamlining the ordering and payment processes, but also improved operational efficiency for increased profitability.



Advantech's MSR Module Enables Mobile Verification for Enhanced Security

A leading hotel and resorts group with sites in Japan, Philippines, Singapore, and Hong Kong

To offer customers a personalized experience, hotels are turning to new methods and technologies to gain a competitive edge. Advantech is committed to helping business owners increase operational efficiency and maintain security during data transfers. For this project, a well-known hotel and resorts group with more than 6,110 properties in 120 countries adopted Advantech's mobile tablet and MSR module to enhance their overall service, security, and customer satisfaction. In an effort to simplify hotel operations and improve the service quality, the hotel deployed Advantech's AIM-35 and AIM-37 tablets to enable poolside and front desk ordering. This solution not only reduced customer wait times by streamlining the ordering and payment processes, but also improved operational efficiency for increased profitability.



AIM-65 Tablet Integrated with an ERP System for Enhanced Warehouse Management

A global cosmetics manufacturer warehouse in Thailand

Mobile warehouse management solutions have become increasingly important in recent years because of their ability to streamline workflows and reduce the incidence of human error. Accordingly, the owner of warehouse in Thailand adopted Advantech's industrial-grade AIM-65 tablets in an effort to increase operational efficiency and productivity. In addition to improving the goods receiving, inspection, packing, and loading processes, the AIM-65 tablets can be equipped with diverse peripherals, such as a barcode scanner, RFID reader, and/or SIM card module. These peripherals expand the system functions and allow employees to easily perform complex warehouse and inventory tasks in a wide range of industrial environments. After integration with existing infrastructure, AIM-65 tablets can also serve as portable ERP systems or edge computing devices that facilitate optimized warehouse management.



Waste Collection Trucks in Portugal Fitted with AIM-65 Tablets and Vehicle Docks

Waste collection trucks in Portugal

To optimize waste collection management, a well-known software and IoT solutions provider based in Portugal adopted Advantech's AIM-65 tablet to serve as a navigation system in waste collection trucks. The provision of LTE and GPS connectivity allows drivers to identify locations for waste collection and to generate an optimized route that saves time and fuel costs. Additionally, the AIM-65 tablet transmits real-time vehicle information to the centralized control center for monitoring and fleet management. This allows administrators to see whether the truck has available space, or whether additional trucks should be dispatched to complete collections. Overall, AIM-65 optimizes operations by improving efficiency and comprehensive management.

AIM-S & R Tablet Specifications













Мо	del	AIM-37	AIM-65	AIM-68	AIM-75S	AIM-78S	PWS-872
	Processor	Intel® Atom™ x5-Z8350 Processor (1.92GHz)	Intel® Atom™ x5-Z8350 quad-core, 1.6 GHz (1.44 GHz)	Intel® Atom™ x7-Z8750 quad-core, 1.6 GHz (2M cache, up to 2.56 GHz)	Qualcomm [®] Snapdragon™ 660 Octa-core 2.2 GHz	Qualcomm [®] Snapdragon™ 660 octa-core 2.2 GHz	Intel® Celeron® 3965U, 2.2 GHz Intel® Core™ 7th i3- 7100U,/i5-7300U/i7- 7600U, upto 2.8Ghz(*)
System	Memory	4GB DDR3	2/4GB DDR3	4GB DDR3	4GB DDR4	4GB DDR4	4GB DDR4
	os	Windows 10 IoT Enterprise, Android 6.0	Windows 10 IoT Enterprise, Android 6.0	Windows 10 IoT Enterprise, Android 6.0	Android 10 with GMS certification	Android 10	Windows 10 IoT, 64 bit
Store	age	eMMC/micro SD	eMMC/micro SD	eMMC/micro SD	eMMC/micro SD	eMMC/micro SD	mSATA SSD/SD
	Туре	10.1" IPS LCD	8" IPS LCD	10.1" FHD LCD	8" IPS LCD	10.1" FHD LCD	10.1" WXGA LCD
Display	Resolution	WXGA 1280 x 800	WUXGA 1920 x 1200	WUXGA 1920 x 1200	WUXGA 1920 x 1200	WUXGA 1920 x 1200	WXGA 1280 x 800
	Touch Type	10-point, multi-touch PCAP	10-point, multi-touch PCAP	10-point, multi-touch PCAP	10-point, multi-touch PCAP	10-point, multi-touch PCAP	10-point, multi-touch PCAP
Wireless Con	nmunication	WLAN, BT, NFC	WLAN, BT, NFC, WWAN (optional)	WLAN, BT, NFC, WWAN (optional)	WLAN, BT, NFC, WWAN (optional)	WLAN, BT, NFC, WWAN (optional)	WLAN, BT, NFC (optional), WWAN (optional)
Cam	era	Front: 2MP FF camera Rear: 5MP AF camera	Front: 2MP FF camera Rear: 5MP AF camera	Front: 2MP FF camera Rear: 5MP AF camera	Front: 5MP FF camera Rear: 8MP AF camera	Front: 8MP FF camera Rear: 13MP AF camera	Front: 2MP FF camera Rear: 8MP AF camera
Batt	ery	3.8V, 30Whr, 7900mAh	3.8V, 18.6Whr, 4900mAh	10.8V, 26Whr, 2400mAh	3.8V, 18.6Whr, 4900mAh	10.8V, 26Whr, 2400mAh	Primary battery: 14.4V, 39.32Whr, 2730mAh Secondary battery: 14.4V, 62Whr, 4300mAh
I/C	*	Standard I/O, dock I/O	Standard I/O, extended I/O, dock I/O	Standard I/O, extended I/O, dock I/O	Standard I/O, extended I/O, dock I/O	Standard I/O, extended I/O, dock I/O	Standard I/O, extended I/O, dock I/O
	Operating Temperature	0 ~ 50 °C/32 ~ 122 °F		-10 ~ 50 °C	/14 ~ 122 °F		-20 ~ 50 °C/-4 ~ 122 °F
Environmen-	Storage Temperature	-10 ~ 60 °C/ 14 ~ 140 °F		-20 ~ 60 °C/-4 ~ 140 °F			-40 ~ 60 °C / -40 ~ 140 °F
tal	IP Rating	IP54 (except the MSR/ IC card slot)			IP65		
	Drop Tolerance	Up to 75 cm (2.5 ft)			Up to 120 cm (4 ft)		

^{*} See datasheet for detailed specifications

► AIM-H Tablet Specifications











Mod	el	AIM-55	AIM-58	AIM-75H	AIM-78H	MIT-W102
	Processor	Intel [®] Atom™ x5-Z8350 quad-core, 1.6 GHz (1.44 GHz)	Intel [®] Atom™ x7-Z8750 quad-core, 1.6 GHz (2M cache, up to 2.56 GHz)	Qualcomm [®] Snapdragon™ 660 octa-core, 2.2 GHz	Qualcomm [®] Snapdragon™ 660 octa-core, 2.2 GHz	Intel® Pentium®N4200, quad-core, 1.1 GHz (up to 2.5 GHz)
System	Memory	4GB DDR3	4GB DDR3	4GB DDR4	4GB DDR4	4GB DDR4*
	os	Windows 10 IoT Enterprise, Android 6.0	Windows 10 IoT Enterprise, Android 6.0	Android 10 with GMS certification	Android 10	Windows 10 IoT Enterprise, Linux
Storage		eMMC/micro SD	eMMC/micro SD	eMMC/micro SD	eMMC/micro SD	M.2 SSD
	Туре	8" IPS LCD	10.1" FHD LCD	8" IPS LCD	10.1" FHD LCD	10.1" TFT LCD
Display	Resolution	WUXGA 1920 x 1200	WUXGA 1920 x 1200	WUXGA 1920 x 1200	WUXGA 1920 x 1200	WUXGA 1920 x 1200
	Touch Type	10-point, multi-touch PCAP	10-point, multi-touch PCAP	10-point, multi-touch PCAP	10-point, multi-touch PCAP	10-point, multi-touch PCAP
Wireless Communication		WLAN, BT, NFC	WLAN, BT, NFC, WWAN (optional)	WLAN, BT, NFC, WWAN (optional)	WLAN, BT, NFC, WWAN (optional)	WLAN, BT, NFC (optional)
Came	era	Front: 2MP FF camera Rear: 5MP AF camera	Front: 2MP FF camera Rear: 5MP AF camera	Front: 5MP FF camera Rear: 8MP AF camera	Front: 8MP FF camera Rear: 13MP AF camera	Front: 2MP FF camera (optional) Rear: 5MP AF camera (optional)
Batte	ry	3.8V, 18.6Whr, 4900mAh	10.8V, 26Whr, 2400mAh	3.8V, 18.6Whr, 4900mAh	10.8V, 26Whr, 2400mAh	11.1V, 31.75Whr, 2860mAh
1/0°		Standard I/O, extended I/O, dock I/O	Standard I/O, extended I/O, dock I/O	Standard I/O, extended I/O, dock I/O	Standard I/O, extended I/O, dock I/O	Standard I/O, extended I/O, dock I/O
	Operating Temperature	0 ~ 30 °C/32 ~ 86 °F	0 ~ 30 °C/32 ~ 86 °F		0 ~ 35 °C/32 ~ 95 °F	
Environmental	Storage Temperature			-20 ~ 60 °C/-4 ~ 140 °F		
	IP Rating			IP65		
	Drop Tolerance	up to 120 cm (4 ft)				up to 152.4 cm (5ft) onto plywood

^{*} See datasheet for detailed specifications

AIM Peripherals Specifications

VESA Dock











Applicable Model	AIM-37	AIM-65/75S	AIM-68/78S	AIM-55/75H	AIM-58/78H	MIT-W102
Part Number	AIM-P703	AIM-VSD0-0170 (full I/O) AIM-VSD0-0171 (charger & USB)	AIM-VSD0-0470 (full I/O) AIM-VSD0-0471 (charger & USB)	AIM-VSD0-0001 (full I/O) AIM-VSD0-0003 (charger & USB)	AIM-VSD0-1001 (full I/O) AIM-VSD0-1003 (charger & USB)	MIT-W102-ACCVD001E
Features	VESA (75x 75) standard mounting holes	VESA (75 x 75) standard mounting holes Full I/O: USB 3.0, RS- 232, LAN, power jack Charger & USB: USB 2.0, power jack	VESA (75 x 75) standard mounting holes Full I/O: USB 3.0, RS- 232, LAN, power jack Charger & USB: USB 2.0, power jack	VESA (75 x 75) standard mounting holes Full I/O: USB 3.0, RS- 232, LAN, power jack Charger & USB: USB 2.0, power jack	VESA (75 x 75) standard mounting holes Full I/O: USB 3.0, RS- 232, LAN, power jack Charger & USB: USB 2.0, power jack	VESA (75 x 75) standard mounting holes Full I/O: VGA, USB 2.0, RS-232, LAN, power jack

Vehicle Dock







Applicable Model	AIM-65/75S/75H	AIM-68/78S/78H	PWS-872
Part Number	AIM-VEH7-0000 (full I/O) AIM-VEH7-0010 (charger only)	AIM-VED0-0422 (full I/O) AIM-VED0-0423 (charger only)	PWS-870-VCRADLE00E PWS-870-VCRADLE01E PWS-870-VMOUNT00E
Features	Full I/O: CAN bus, DI, DO, odometer, USB 2.0, RS-232 + RS-485 (USB 2.0, power input), power jack Charger only: Power input	Full I/O: CAN bus, DI, DO, odometer, USB 2.0, RS-232 + RS-485 (USB 2.0, power input), power jack Charger only: Power input	LAN A8 (M12), GPS SMA, USB 3.0, HDC (RS-232, CAN 2.0, DI, DO, Line in, Line out), power input (M12)

Desk Dock









Applicable Model	AIM-37	AIM-75S	AIM-65/75S	AIM-68/78S
Part Number	AIM-P708A0 (single I/O) AIM-P708C0 (multiple I/O)	AIM-P508A0	AIM-OFD0-0170 (full I/O) AIM-OFD0-0171 (charger & USB)	AIM-OFD0-0480 (full I/O) AIM-OFD0-0481 (charger & USB)
Features	Single I/O: USB 2.0, micro USB Multiple I/O: USB 2.0, RS-232, LAN, power jack	I/O: USB 2.0, micro USB	Full I/O: USB 2.0, RS-232, HDMI, power jack, battery charging station Charger & USB: USB 2.0, power jack	Full I/O: USB 2.0, RS-232, HDMI, power jack, battery charging station Charger & USB: USB 2.0, power jack

Desk Dock









Applicable Model	AIM-58/78H	MIT-W102	MIT-W102	PWS-872
Part Number	AIM-OFD0-0001 (full I/O) AIM-OFD0-0003 (charger & USB)	MIT-W102-ACCDS001E	MIT-W101-ACCVB001E	PWS-870-CRADLE00E
Features	Full I/O: USB 2.0, RS-232, HDMI, power jack, battery charging station Charging & USB: USB 2.0, power jack	I/O: USB 2.0, RS-232, VGA, LAN, audio jack, power jack, battery charging station	3-in-1 multifunctional stand VESA mount (75 x 75) kick stand hand strap	I/O: USB 3.0, RS-232, VGA, LAN, power jack

Extension Module









MSR + barcode scanner

Applicable Model	AIM-65/68/75S/78S	AIM-65/68/75S/78S	AIM-65/68/75S/75H/78S
Part Number	AIM-EXT0-0040	AIM-EXT0-0041	AIM-P521A0
Features	Sensor: 640 x 480 CMOS sensor Field of view: horizontal: 37.8°; vertical: 28.8°	Sensor: 640 x 480 CMOS sensor Field of view: horizontal: 37.8°; vertical: 28.8°	MSR Swipe Speed: 3 ~ 75 in/sec Supported Format: ISO 7811/ JIS II bi-directional swipe Barcode Scanner Sensor: 640 x 480 CMOS sensor Field of view: horizontal: 37.8°; vertical: 28.8°

Extension Module





LAN + COM module



Applicable Model	AIM-65/68/75S/78S	AIM-65/68/75S/78S	AIM-65/68/75S/75H/78S
Part Number	AIM-P521B0	AIM-EXT0-0046	AIM-EXT0-0047 (EU) AIM-EXT0-0049 (US)
Features	Swipe Speed: 3 ~ 75 in/sec Supported Format: ISO 7811/ JIS II bi-directional swipe	1 x 10/100 Ethernet port 1 x COM port	RFID output: 25W Supported tag standard: EPC Class 2, Gen. 2/ ISO 18000-6C

Extension Module









MSR & smart card reader

Applicable Model	AIM-65/68/75S/78S	PWS-872	PWS-872
Part Number	AIM-EXT0-0050	PWS-870-EXT100E	PWS-870-EXT300E
Features	RFID output: 25W Frequency: EU: 867 ~ 869 MHz Supported tag standard: EPC Class 2, Gen. 2/ ISO 18000-6C	I/O: USB 3.0, LAN, RS-232	MSR and smart card reader

Extension Module







LAN + COM module

Applicable Model	AIM-55/58/75H/78H	AIM-55/58/75H/78H	AIM-55/58/75H/78H
Part Number	AIM-BCRS-0020	AIM-BCRS-0070	AIM-LANC-0001
Features	Sensor: 640 x 480 CMOS sensor Field of view: horizontal: 37.8°; vertical: 28.8°	Sensor: 640 x 480 CMOS sensor Field of view: horizontal: 37.8°; vertical: 28.8°	1 x 10/100 Ethernet port 1 x COM por

Battery







Applicable Model	AIM-55/65/75S/75H	AIM-58/68/78S/78H	PWS-872
Part Number	AIM-BAT0-0252	AIM-BAT0-0452	PWS-870-BAT200E
Features	Hot-swappable, 3.8V, 18.6Whr, 4900mAh	Hot-swappable, 10.8V, 26Whr, 2400 mAh	Hot-swappable, 14.8V, 63.64Whr, 4300mAh

Multi-Battery Charging Station







Applicable Model	AIM-65/68/75S/78S	AIM-55/58/75H/78H	PWS-872
Part Number	AIM-MBC0-0051	AIM-MBCS-0001	PWS-870-MBC00E
Features	Supports up to 4 batteries	Supports up to 4 batteries	Supports up to 4 external battery packs

Multi-Tablet Charging Station







Applicable Model	AIM-37	AIM-65/75S	AIM-55/75H
Part Number	AIM-P705A0	AIM-CHG0-0150	AIM-MTCS-0001
Features	Supports up to 10 tablets	Supports up to 4 batteries	Supports up to 4 external battery packs

Accessories

Applicable Model

Part Number

Features

Applicable Model

Part Number

Features

Applicable Model









and	strap	
-----	-------	--

Hand strap Shoulder strap Shoulder strap AIM-65/68/75S/78S AIM-55/58/75H/78H AIM-65/68/75S/78S AIM-55/58/75H/78H AIM-68/78S AIM-37 AIM-58/78H AIM-P702 AIM-SRP0-0000 AIM-SRP0-0001 AIM-SRP0-0002



Synthetic leather w/ Elastic band



Stylus holder



Stylus holder



Stylus holder

Rotatable hand strap

AIM-65/68/75S/78S AIM-55/58/75H/78H

AIM-SRP0-0004

360° rotatable handstrap

Universal cover package 8" AG+AR screen protection film AIM-55/65/75S/75H PWS-872 AIM-55/65/75S/75H AIM-HOL0-0160 PWS-870-UCOVER00E AIM-EXT0-0181









10" AG+AR screen protection film

10" screen protection film PCAP stylus



Active pen


38

Applicable Model	AIM-58/68/78S/78H	PWS-872	AIM-37/65/68/75S/78S AIM-55/58/75H/78H	PWS-872
Part Number	AIM-EXT0-0480	PWS-872-PROFILM	AIM-P704	PWS-872-ACTPEN
Features				



Rugged Case

AIM-65/75S





Applicable Model	AIM-37		
Part Number	AIM-P701A0		
Features	Embedded Seiko 3" thermal printer I/O: USB 2.0, RS-232, cash drawer trigger		

Thermal Printer

AIM-SPR0-0005 Features 1.8M drop tolerance

Regional Service & Customization Centers

China	Kunshan	Taiwan	Taipei	Netherlands	Eindhoven	Poland	Warsaw	USA	Milpitas, CA
0	86-512-5777-5666	· ai · · · ai · ·	886-2-7732-3399		31-40-267-7000	· Olalla	00800-2426-8080	00, 1	1-408-519-3898

Asia Pacific		Asia Paci	fic	Europe		Americas	
Taiwan		Japan		Netherlands		North America	
Toll Free	0800-777-111	Toll Free	0800-500-1055	Eindhoven	31-40-267-7000	Toll Free	1-888-576-9668
Taipei & IoT Campus	886-2-7732-3399	Tokyo	81-3-6802-1021	Breda	31-76-523-3100	Cincinnati	1-513-742-8895
Taichung	886-4-2372-5058	Osaka	81-6-6267-1887	Dioda	0.700200100	Milpitas	1-408-519-3898
Kaohsiung	886-7-392-3600	Nagoya	81-0800-500-1055	Germany		Irvine	1-949-420-2500
		Nogata	81-949-22-2890	Toll Free	00800-2426-8080/81	Ottawa	1-815-433-5100
China				Munich	49-89-12599-0	Chicago	1-888-576-9668
Toll Free	800-810-0345	Korea		Düsseldorf	49-2103-97-855-0	Boston	1-800-866-6008
Beijing	86-10-6298-4346	Toll Free	080-363-9494/5	Duoocidon	10 2100 07 000 0		
Shanghai	86-21-3632-1616	Seoul	82-2-3660-9255	France		Brazil	
Shenzhen	86-755-8212-4222			Paris	33-1-4119-4666	Toll Free	0800-770-5355
Chengdu	86-28-8545-0198	Singapore		Falls	33-1-4119-4000	São Paulo	55-11-5592-536
Hong Kong	852-2720-5118	Singapore	65-6442-1000	Italy			
				Milan	39-02-9544-961	Mexico	
		Malaysia		IVIIIaii	39-02-9344-901	Toll Free	1-800-467-2415
		Kuala Lumpur	60-3-7725-4188	UK		Mexico City	52-55-6275-277
		Penang	60-4-537-9188			Guadalajara	52-33-3169-767
				Newcastle	44-0-191-262-4844		
		Thailand		London	44-0-870-493-1433	Middle Eas	st and Africa
		Bangkok	66-02-2488306-9	Spain		Israel	072-2410527
				1 '	04 04 000 00 70		
		Vietnam		Madrid	34-91-668-86-76	Turkey	90-212-222-042
		Hanoi	84-24-3399-1155	Sweden		Turkey-Bursa	90-224-413-313
		Hochiminh	84-28-3836-5856				
				Stockholm	46-0-864-60-500		
		Indonesia					
		Jakarta	62-21-751-1939	Poland			
				Warsaw	48-22-31-51-100		
		Australia					
		Toll Free	1300-308-531	Russia			
		Melbourne	61-3-9797-0100	Moscow	8-800-555-01-50		
				St. Petersburg	8-812-332-57-27		
		India			8-921-575-13-59		
		Bangalore	91-94-4839-7300	Czech Republic			
		Pune	91-94-2260-2349		120 465 524 424		
				Ústí nad Orlicí	420-465-524-421		
				Ireland			
				ii eiaiiu			







353-91-792444





Bluecom s.r.o.

Nerudova 1034, 53701 Chrudim

Email: sales@bluecom.cz

Telefon: +420 469 688 054

www.BLUECOM.cz